NDL Solid Core Liquid Line Filter Driers

TECHNICAL SPECIFICATIONS SUBMITTAL FORM

Job Name:	Submittal Date:	Wholesaler:
Job Location:	Engineer/Architect:	Contractor:

Product Use:

Filter Driers for use in HVAC and Refrigeration applications.

Design and Features:

• Body design manufactured with advanced welding technology for leak-free joints and superior performance with high-pressure refrigerants.

• Finished with semi-gloss black epoxy-polyester powder coat paint tested to 1,000 hours of salt spray, exceeding ASTM standards.

• Desiccant comprised of molecular sieve and activated alumina in a ratio of 70:30.

• Strong and rust-free furnace-brazed threaded fittings.

• Recommended for Commercial Air Conditioning, Commercial Refrigeration, Cold Chains, Precision Air Conditioners, Industrial Refrigeration, Food Retail.

• Furnace brazed pure copper ends, boasting both longer length and thicker walls when juxtaposed with other brands' offerings.

- Uses honey-comb design perforated plate to minimize pressure drops.
- Solid core type with XH-11 grade molecular sieves.
- One-year warranty

Certifications and Approvals:

- CE
- UL-Listed
- CRN-Approved

Selection:

- Solid Core Liquid Line Filter Driers
- Solid Core Liquid Line Filter Driers with Tracer Wafer
- Press Compatible Solid Core Liquid Line Filter Driers
- Press Compatible Solid Core Liquid Line Filter Driers with Tracer Wafer








NCH-S Dimensions

PART #		R DIA. A	BODY L I	ENGTH B	STOPPER TO ST	OPPER LENGTH		. LENGTH D	CONNECTION	WT (LB)	WT (G)								
	ММ	IN	ММ	IN	ММ	IN	ММ	IN	TYPE (IN)		(3)								
NCH-052S			78	3.07"	108	4.25″	128	5.04"	1/4" ODF	1.058	480								
NCH-053S			78	78	5.07	108	4.25	120	5.04	3/8" ODF	0.926	420							
NCH-082S						5.08″	149	5.87"	1/4" ODF	1.191	540								
NCH-083S	Ø 63.5	Ø 2.5″	99	3.9"	129				3/8" ODF	1.345	610								
NCH-084S	03.5	Ø 2.5							1/2" ODF	1.235	560								
NCH-163S			122														3/8" ODF	1.627	738
NCH-164S				2 4.8"	152	5.98″	172	6.77″	1/2" ODF	1.609	730								
NCH-165S									5/8" ODF	1.682	763								

NCH-S Dimensions

NCH-052S	1/4" Liquid Line Filter Drier
NCH-053S	3/8" Liquid Line Filter Drier
NCH-082S	1/4" Liquid Line Filter Drier
NCH-083S	3/8" Liquid Line Filter Drier
NCH-084S	1/2" Liquid Line Filter Drier
NCH-163S	3/8" Liquid Line Filter Drier
NCH-164S	1/2" Liquid Line Filter Drier
NCH-165S	5/8" Liquid Line Filter Drier



The information contained herein is not intended to replace the full product installation and safety information available or the experience of a trained product installer. You are required to thoroughly read all installation instructions and product safety information before beginning the installation of a product.

All installations must completely comply with all NDL Industries warnings and instructions, national state and local codes and all applicable ANSI standards.

NDL Industries product specifications in U.S. customary units and metric are approximate and are provided for reference only. For precise measurements, please contact Customer

Service. NDL Industries reserves the right to change or modify product design, construction, specifications, or materials without prior notice and without incurring any obligation to make such changes and modifications on NDL products previously or subsequently sold.



Explore our full line of high-quality HVAC-R, CO₂ Refrigeration, and Hydronic products. ndlindustries.com | <u>1-866-635-6888</u> | sales@ndlinc.com






NCH-F Dimensions

PART #	OUTER DIA. ØA		BODY LENGTH B		OVERALL LENGTH D		CONNECTION TYPE (IN)	WT (LB)	WT (G)
PARI#	мм	IN	ММ	IN	ММ	IN	CONNECTION TYPE (IN)	VVI (LB)	WI (G)
NCH-052F			78	2.07//	124	4.88″	1/4" SAE	1.014	460
NCH-053F			/8	3.07"	132	5.2″	3/8" SAE	1.168	530
NCH-082F					145	5.71″	1/4" SAE	1.257	570
NCH-083F		Ø 2 5″	99	3.9"	153	6.02″	3/8" SAE	1.455	660
NCH-084F	Ø 63.5	Ø 2.5″			159	6.26″	1/2" SAE	1.477	670
NCH-163F			122	4.8″	176	6.93"	3/8" SAE	1.72	780
NCH-164F					190	7.17″	1/2" SAE	1.631	740
NCH-165F					148	7.48″	5/8" SAE	1.676	760
NCH-303F					244	9.61″	3/8" SAE	3.483	1580
NCH-304F		<i>a</i> 2″	100		244 9.61" 1/2" SAE		1/2" SAE	3.417	1550
NCH-305F	Ø 76.2	Ø 3"	190	7.48″	258	10.16″	5/8" SAE	3.417	1550
NCH-306F	1				264	10.39"	3/4" SAE	3.792	1720
NCH-414F	<i>a</i>	Ø 2 5″	100	7.8″	258	10.16″	1/2" SAE	4.674	2120
NCH-415F	Ø 88.9	Ø 3.5″	198		266	10.47″	5/8" SAE	4.52	2050

NCH-F Dimensions

NCH-052F	1/4" Liquid Line Filter Drier
NCH-053F	3/8" Liquid Line Filter Drier
NCH-082F	1/4" Liquid Line Filter Drier
NCH-083F	3/8" Liquid Line Filter Drier
NCH-084F	1/2" Liquid Line Filter Drier
NCH-163F	3/8" Liquid Line Filter Drier
NCH-164F	1/2" Liquid Line Filter Drier
NCH-165F	5/8" Liquid Line Filter Drier
NCH-303F	3/8" Liquid Line Filter Drier
NCH-304F	1/2" Liquid Line Filter Drier
NCH-305F	5/8" Liquid Line Filter Drier
NCH-306F	3/4" Liquid Line Filter Drier
NCH-414F	1/2" Liquid Line Filter Drier
NCH-415F	5/8" Liquid Line Filter Drier



The information contained herein is not intended to replace the full product installation and safety information available or the experience of a trained product installer. You are required to thoroughly read all installation instructions and product safety information before beginning the installation of a product.

All installations must completely comply with all NDL Industries warnings and instructions, national state and local codes and all applicable ANSI standards.

NDL Industries product specifications in U.S. customary units and metric are approximate and are provided for reference only. For precise measurements, please contact Customer

Service. NDL Industries reserves the right to change or modify product design, construction, specifications, or materials without prior notice and without incurring any obligation to make such changes and modifications on NDL products previously or subsequently sold.



Explore our full line of high-quality HVAC-R, CO₂ Refrigeration, and Hydronic products. ndlindustries.com | <u>1-866-635-6888</u> | sales@ndlinc.com




Solid Core Liquid Line Filter Driers

NCH-M*F / NCH-S Dimensions

PART #		OUTER DIA. BODY LENGTH ØA B			STOPPER TO ST		. LENGTH D	CONNECTION	WT (LB)				
	ММ	IN	ММ	IN	ММ	IN	ММ	IN	TYPE (IN)	WI (LB)	WT (G)		
NCH-307S	Ø 76.2	Ø 3"			190		220	8.66"	264	10.39″	7/8" ODF	3.483	1580
NCH-3095	Ø 70.2		190	7.48″	220	8.66"	274	10.79″	1-1/8" ODF	3.726	1690		
NCH-417S	Ø 88.9		198	3 7.8″	228	8.98"	272	10.71″	7/8" ODF	4.872	2210		
NCH-4195	9.00 ש	Ø 3.5″	190		228	8.98"	282	11.1″	1-1/8″ ODF	4.85	2200		

NCH Dimensions

NCH-032F-M*F	1/4" Liquid Line Filter Drier				
NCH-307S	7/8" Liquid Line Filter Drier				
NCH-309S	1-1/8" Liquid Line Filter Drier				
NCH-417S	7/8" Liquid Line Filter Drier				
NCH-4195	1-1/8" Liquid Line Filter Drier				



The information contained herein is not intended to replace the full product installation and safety information available or the experience of a trained product installer. You are required to thoroughly read all installation instructions and product safety information before beginning the installation of a product.

All installations must completely comply with all NDL Industries warnings and instructions, national state and local codes and all applicable ANSI standards.

NDL Industries product specifications in U.S. customary units and metric are approximate and are provided for reference only. For precise measurements, please contact Customer

Service. NDL Industries reserves the right to change or modify product design, construction, specifications, or materials without prior notice and without incurring any obligation to make such changes and modifications on NDL products previously or subsequently sold.



Explore our full line of high-quality HVAC-R, CO₂ Refrigeration, and Hydronic products. ndlindustries.com | 1-866-635-6888 | sales@ndlinc.com






NCH-R Dimensions

DADT #	OUTER DIA. ØA		BODY LENGTH B		OVERALL LENGTH D				
PART #	I# MM IN MM IN MM IN		IN	CONNECTION TYPE (IN)	WT (LB)	WT (G)			
NCH-163R					162	6.3"	11/16-16 ORFS	1.616	733
NCH-164R	Ø 63.5	Ø 2.5″	122	4.8″	176 6.38" 13/16-16 ORFS		13/16-16 ORFS	1.616	733
NCH-165R					148	6.93"	1"-14 ORFS	1.616	733
NCH-303R	Ø 76.2	Ø 3"	100		228	8.98"	11/16-16 ORFS	3.373	1530
NCH-305R	70.2	נש	190 7.48"		244	9.61"	1"-14 ORFS	3.748	1700

NCH-R Dimensions

NCH-163R	11/16-16" Liquid Line Filter Drier
NCH-164R	13/16-16" Liquid Line Filter Drier
NCH-165R	1-1/4" Liquid Line Filter Drier
NCH-303R	11/16-16" Liquid Line Filter Drier
NCH-305R	1-1/4" Liquid Line Filter Drier



The information contained herein is not intended to replace the full product installation and safety information available or the experience of a trained product installer. You are required to thoroughly read all installation instructions and product safety information before beginning the installation of a product.

All installations must completely comply with all NDL Industries warnings and instructions, national state and local codes and all applicable ANSI standards.

NDL Industries product specifications in U.S. customary units and metric are approximate and are provided for reference only. For precise measurements, please contact Customer

Service. NDL Industries reserves the right to change or modify product design, construction, specifications, or materials without prior notice and without incurring any obligation to make such changes and modifications on NDL products previously or subsequently sold.








NCH-F Dimensions

DADT #	OUTER DIA. ØA		BODY LENGTH B		OVERALL LENGTH D					
PART #	мм	IN	ММ	IN	ММ	IN	CONNECTION TYPE (IN)	WT (LB)	WT (G)	
NCH-032F	<i>G</i> 42	9.1 (#		2.6.4"	113	4.45″	1/4" SAE	0.309	140	
NCH-033F	Ø 42	Ø 1.6″	67	2.64″ –	121	4.76″	3/8" SAE	0.419	190	



NCH-F Dimensions

NCH-032F	1/4" Liquid Line Filter Drier
NCH-033F	3/8" Liquid Line Filter Drier

The information contained herein is not intended to replace the full product installation and safety information available or the experience of a trained product installer. You are required to thoroughly read all installation instructions and product safety information before beginning the installation of a product.

All installations must completely comply with all NDL Industries warnings and instructions, national state and local codes and all applicable ANSI standards.

NDL Industries product specifications in U.S. customary units and metric are approximate and are provided for reference only. For precise measurements, please contact Customer

Service. NDL Industries reserves the right to change or modify product design, construction, specifications, or materials without prior notice and without incurring any obligation to make such changes and modifications on NDL products previously or subsequently sold.




Explore our full line of high-quality HVAC-R, CO₂ Refrigeration, and Hydronic products. ndlindustries.com | <u>1-866-635-6888</u> | sales@ndlinc.com





NCH-S Dimensions

DADT #		R DIA. A		.ENGTH 3	STOPPER TO	STOPPER LENGTH C	OVERALL [CONNECTION		WT (G)
PART #	ММ	IN	мм	IN	ММ	IN	ММ	IN	TYPE (IN)	WT (LB)	
NCH-0325	G 42	Q 1 ("	67	2.6.4%	07	2.02%	117	A C 1 //	1/4" ODF	0.243	110
NCH-033S	Ø 42	Ø 1.6″	67	2.64"	97	3.82"	117	4.61″	3/8" ODF	0.463	210



NCH-S Dimensions

NCH-032S	1/4" Liquid Line Filter Drier
NCH-033S	3/8" Liquid Line Filter Drier

The information contained herein is not intended to replace the full product installation and safety information available or the experience of a trained product installer. You are required to thoroughly read all installation instructions and product safety information before beginning the installation of a product.

All installations must completely comply with all NDL Industries warnings and instructions, national state and local codes and all applicable ANSI standards.

NDL Industries product specifications in U.S. customary units and metric are approximate and are provided for reference only. For precise measurements, please contact Customer

Service. NDL Industries reserves the right to change or modify product design, construction, specifications, or materials without prior notice and without incurring any obligation to make such changes and modifications on NDL products previously or subsequently sold.




Explore our full line of high-quality HVAC-R, CO₂ Refrigeration, and Hydronic products. ndlindustries.com | <u>1-866-635-6888</u> | sales@ndlinc.com



Solid Core Liquid Line Filter Driers

NCH-032-M*F Dimensions

DADT #		R DIA. DA	BODY LENGTH B		OVERALL LENGTH D				WT (G)	
PART #	ММ	IN	ММ	IN	ММ	IN	CONNECTION TYPE (IN)	WT (LB)	WT(G)	
NCH-032F-M*F	Ø 42	Ø 1.6″	67	2.64"	102	4.01"	1/4" SAE (F/M)	0.467	212	



NCH-032-M*F Dimensions

NCH-032F-M*F	1/4" Liquid Line Filter Drier
--------------	-------------------------------

The information contained herein is not intended to replace the full product installation and safety information available or the experience of a trained product installer. You are required to thoroughly read all installation instructions and product safety information before beginning the installation of a product.

All installations must completely comply with all NDL Industries warnings and instructions, national state and local codes and all applicable ANSI standards.

NDL Industries product specifications in U.S. customary units and metric are approximate and are provided for reference only. For precise measurements, please contact Customer

Service. NDL Industries reserves the right to change or modify product design, construction, specifications, or materials without prior notice and without incurring any obligation to make such changes and modifications on NDL products previously or subsequently sold.




Explore our full line of high-quality HVAC-R, CO₂ Refrigeration, and Hydronic products. ndlindustries.com | <u>1-866-635-6888</u> | sales@ndlinc.com



Solid Core Liquid Line Filter Driersdrawing11

NCH-ORN Dimensions

DADT #	OUTE Ø	R DIA. A	BODY LENGTH B		OVERALL LENGTH D				WT (G)	
PART #	ММ	IN	ММ	IN	ММ	IN	CONNECTION TYPE (IN)	WT (LB)	WT (G)	
NCH-303 ORN	Ø 76.2	Ø 3"	190	7.48″	244	9.61"	3/8" O-Ring	3.373	1530	



NCH-ORN Dimensions

NCH-303 ORN	3/8" Liquid Line Filter Drier
-------------	-------------------------------

The information contained herein is not intended to replace the full product installation and safety information available or the experience of a trained product installer. You are required to thoroughly read all installation instructions and product safety information before beginning the installation of a product.

All installations must completely comply with all NDL Industries warnings and instructions, national state and local codes and all applicable ANSI standards.

NDL Industries product specifications in U.S. customary units and metric are approximate and are provided for reference only. For precise measurements, please contact Customer

Service. NDL Industries reserves the right to change or modify product design, construction, specifications, or materials without prior notice and without incurring any obligation to make such changes and modifications on NDL products previously or subsequently sold.




Explore our full line of high-quality HVAC-R, CO₂ Refrigeration, and Hydronic products. ndlindustries.com | <u>1-866-635-6888</u> | sales@ndlinc.com



Press Compatible Solid Core Liquid Line Filter Driers

NCH-Z Dimensions

PART #	OUTER DIA. BC ØA		BODY LENGTH B		STOPPER TO ST	OVERALL LENGTH D		CONNECTION	WT (LB)	WT (G)							
	ММ	IN	ММ	IN	ММ	IN	мм	IN	TYPE (IN)		WF(G)						
NCH-083-Z	Ø 63.5	Ø 63.5	Ø 63.5	Ø 63.5					99	3.89″	F1 1	2.02%	202	7.95″		1.345	610.1
NCH-163-Z					Ø 2.5″	Ø 2.5″	100	4.0"	51.1	2.02"	225	8.85″	3/8" ODM	1.627	738.0		
NCH-164-Z			122	4.8″	52.5	2.06″	227	8.93"	1/2" ODM	1.609	729.8						



NCH-Z-TW Dimensions

NCH-083-Z	3/8" Press Compatible Liquid Line Filter Drier
NCH-163-Z	3/8" Press Compatible Liquid Line Filter Drier
NCH-164-Z	1/2" Press Compatible Liquid Line Filter Drier

The information contained herein is not intended to replace the full product installation and safety information available or the experience of a trained product installer. You are required to thoroughly read all installation instructions and product safety information before beginning the installation of a product.

All installations must completely comply with all NDL Industries warnings and instructions, national state and local codes and all applicable ANSI standards.

NDL Industries product specifications in U.S. customary units and metric are approximate and are provided for reference only. For precise measurements, please contact Customer

Service. NDL Industries reserves the right to change or modify product design, construction, specifications, or materials without prior notice and without incurring any obligation to make such changes and modifications on NDL products previously or subsequently sold.



Explore our full line of high-quality HVAC-R, CO₂ Refrigeration, and Hydronic products. ndlindustries.com | <u>1-866-635-6888</u> | sales@ndlinc.com




NCH-S-TW Dimensions

PART #	OUTER DIA. ØA		BODY LENGTH B		STOPPER TO STOPPER LENGTH C		OVERALL LENGTH D		CONNECTION	WT (LB)	WT (G)		
	ММ	IN	мм	IN	ММ	IN	ММ	IN	TYPE (IN)		(0)		
NCH-052S-TW			78	3.07"	108	4.25″	128	5.04"	1/4" ODF	1.089	494.0		
NCH-053S-TW			78	3.07	108	4.25	120	5.01	3/8" ODF	1.216	551.4		
NCH-082S-TW				3.9"	129	5.08"	149	5.87"	1/4" ODF	1.401	635.6		
NCH-083S-TW	a ca f	Ø 63.5 Ø 2.5″	99						3/8" ODF	1.360	617.0		
NCH-084S-TW	- Ø 63.5 Ø 2.5"								1/2" ODF	1.401	635.6		
NCH-163S-TW											3/8" ODF	1.627	738.0
NCH-164S-TW			122	4.8″	152	5.98″	172	6.77"	1/2" ODF	1.618	733.8		
NCH-165S-TW									5/8" ODF	1.618	733.8		

NCH-S-TW Dimensions

NCH-052S-TW	1/4" Liquid Line Filter Drier with Tracer Wafer
NCH-053S-TW	3/8" Liquid Line Filter Drier with Tracer Wafer
NCH-082S-TW	1/4" Liquid Line Filter Drier with Tracer Wafer
NCH-083S-TW	3/8" Liquid Line Filter Drier with Tracer Wafer
NCH-084S-TW	1/2" Liquid Line Filter Drier with Tracer Wafer
NCH-163S-TW	3/8" Liquid Line Filter Drier with Tracer Wafer
NCH-164S-TW	1/2" Liquid Line Filter Drier with Tracer Wafer
NCH-165S-TW	5/8" Liquid Line Filter Drier with Tracer Wafer



The information contained herein is not intended to replace the full product installation and safety information available or the experience of a trained product installer. You are required to thoroughly read all installation instructions and product safety information before beginning the installation of a product.

All installations must completely comply with all NDL Industries warnings and instructions, national state and local codes and all applicable ANSI standards.

NDL Industries product specifications in U.S. customary units and metric are approximate and are provided for reference only. For precise measurements, please contact Customer

Service. NDL Industries reserves the right to change or modify product design, construction, specifications, or materials without prior notice and without incurring any obligation to make such changes and modifications on NDL products previously or subsequently sold.



Explore our full line of high-quality HVAC-R, CO₂ Refrigeration, and Hydronic products. ndlindustries.com | <u>1-866-635-6888</u> | sales@ndlinc.com




NCH-F-TW Dimensions

PART #	OUTER DIA. ØA		BODY LENGTH B			L LENGTH D	CONNECTION TYPE (IN)		WT (G)	
PARI#	ММ	IN	ММ	IN	ММ	IN		WT (LB)	WT(G)	
NCH-052F-TW			78	3.07"	124	4.88″	1/4" SAE	1.216	551.4	
NCH-053F-TW]		78	3.07	132	5.2″	3/8" SAE	1.216	551.4	
NCH-082F-TW					145	5.71″	1/4" SAE	1.401	635.6	
NCH-083F-TW		Ø 2 5″	99	3.9″	153	6.02″	3/8" SAE	1.401	635.6	
NCH-084F-TW	Ø 63.5	Ø 2.5″			159	6.26″	1/2" SAE	1.401	635.6	
NCH-163F-TW				4.8″	176	6.93"	3/8″ SAE	1.618	733.8	
NCH-164F-TW]		122		190	7.17″	1/2″ SAE	1.618	733.8	
NCH-165F-TW	1				148	7.48″	5/8″ SAE	1.618	733.8	
NCH-303F-TW					244	9.61″	3/8″ SAE	3.706	1681.0	
NCH-304F-TW		G 0"	100	7.40%	244	9.61″	1/2" SAE	3.706	1681.0	
NCH-305F-TW	Ø 76.2	Ø 3"	190	7.48″	258	10.16″	5/8" SAE	3.706	1681.0	
NCH-306F-TW				-	264	10.39″	3/4" SAE	3.706	1681.0	
NCH-414F-TW	<i>a</i>	@ 2 F#	100	7.0"	258	10.16″	1/2" SAE	4.654	2111.2	
NCH-415F-TW	Ø 88.9	Ø 3.5″	198	7.8″	266	10.47″	5/8" SAE	4.654	2111.2	

NCH-F-TW Dimensions

NCH-052F-TW	1/4" Liquid Line Filter Drier with Tracer Wafer
NCH-053F-TW	3/8" Liquid Line Filter Drier with Tracer Wafer
NCH-082F-TW	1/4" Liquid Line Filter Drier with Tracer Wafer
NCH-083F-TW	3/8" Liquid Line Filter Drier with Tracer Wafer
NCH-084F-TW	1/2" Liquid Line Filter Drier with Tracer Wafer
NCH-163F-TW	3/8" Liquid Line Filter Drier with Tracer Wafer
NCH-164F-TW	1/2" Liquid Line Filter Drier with Tracer Wafer
NCH-165F-TW	5/8" Liquid Line Filter Drier with Tracer Wafer
NCH-303F-TW	3/8" Liquid Line Filter Drier with Tracer Wafer
NCH-304F-TW	1/2" Liquid Line Filter Drier with Tracer Wafer
NCH-305F-TW	5/8" Liquid Line Filter Drier with Tracer Wafer
NCH-306F-TW	3/4" Liquid Line Filter Drier with Tracer Wafer
NCH-414F-TW	1/2" Liquid Line Filter Drier with Tracer Wafer
NCH-415F-TW	5/8" Liquid Line Filter Drier with Tracer Wafer
	1/2" Liquid Line Filter Drier with Tracer Wafer



The information contained herein is not intended to replace the full product installation and safety information available or the experience of a trained product installer. You are required to thoroughly read all installation instructions and product safety information before beginning the installation of a product.

All installations must completely comply with all NDL Industries warnings and instructions, national state and local codes and all applicable ANSI standards.

NDL Industries product specifications in U.S. customary units and metric are approximate and are provided for reference only. For precise measurements, please contact Customer

Service. NDL Industries reserves the right to change or modify product design, construction, specifications, or materials without prior notice and without incurring any obligation to make such changes and modifications on NDL products previously or subsequently sold.



Explore our full line of high-quality HVAC-R, CO₂ Refrigeration, and Hydronic products. ndlindustries.com | <u>1-866-635-6888</u> | sales@ndlinc.com






NCH-S-TW Dimensions

	OUTER DIA. ØA				STOPPER TO ST	OVERALL LENGTH D		CONNECTION	WT (LB)							
PART #	ММ	IN	ММ	IN	ММ	IN	ММ	IN	TYPE (IN)		WT (G)					
NCH-307S-TW						~ ~ ~ ~	Ø 3"				8.66"	264	10.39″	7/8" ODF	3.706	1681.0
NCH-309S-TW	Ø 76.2	23	190	7.48″	220	8.00	274	10.79″	1-1/8" ODF	3.706	1681.0					
NCH-417S-TW		T 00 0	a 00 0	G 00 0	6 2 5″	198	7.0%			272	10.71″	7/8" ODF	4.654	2111.2		
NCH-419S-TW	Ø 88.9	Ø 3.5″	198	7.8″	228	8.98" -	282	11.1″	1-1/8" ODF	4.654	2111.2					

NCH-S-TW Dimensions

NCH-307S-TW	7/8" Liquid Line Filter Drier with Tracer Wafer
NCH-309S-TW	7/8" Liquid Line Filter Drier with Tracer Wafer
NCH-417S-TW	7/8" Liquid Line Filter Drier with Tracer Wafer
NCH-419S-TW	7/8" Liquid Line Filter Drier with Tracer Wafer



The information contained herein is not intended to replace the full product installation and safety information available or the experience of a trained product installer. You are required to thoroughly read all installation instructions and product safety information before beginning the installation of a product.

All installations must completely comply with all NDL Industries warnings and instructions, national state and local codes and all applicable ANSI standards.

NDL Industries product specifications in U.S. customary units and metric are approximate and are provided for reference only. For precise measurements, please contact Customer

Service. NDL Industries reserves the right to change or modify product design, construction, specifications, or materials without prior notice and without incurring any obligation to make such changes and modifications on NDL products previously or subsequently sold.




Explore our full line of high-quality HVAC-R, CO₂ Refrigeration, and Hydronic products. ndlindustries.com | <u>1-866-635-6888</u> | sales@ndlinc.com



NCH-F-TW Dimensions

DADT #	OUTE Ø	R DIA. DA	BODY LENGTH B		OVERALL LENGTH D		CONNECTION TYPE			
PART #	ММ	IN	ММ	IN	ММ	IN	(IN)	WT (LB)	WT (G)	
NCH-032F-TW	G 12 G 1 ("		67	2 6 4"	113	4.45″	1/4" SAE	0.468	212.2	
NCH-033F-TW	Ø 42	Ø 1.6″	67	2.64″	121	4.76″	3/8" SAE	0.512	232.0	



NCH-F-TW Dimensions

NCH-032F-TW	1/4" Liquid Line Filter Drier with Tracer Wafer
NCH-033F-TW	3/8" Liquid Line Filter Drier with Tracer Wafer

The information contained herein is not intended to replace the full product installation and safety information available or the experience of a trained product installer. You are required to thoroughly read all installation instructions and product safety information before beginning the installation of a product.

All installations must completely comply with all NDL Industries warnings and instructions, national state and local codes and all applicable ANSI standards.

NDL Industries product specifications in U.S. customary units and metric are approximate and are provided for reference only. For precise measurements, please contact Customer

Service. NDL Industries reserves the right to change or modify product design, construction, specifications, or materials without prior notice and without incurring any obligation to make such changes and modifications on NDL products previously or subsequently sold.




Explore our full line of high-quality HVAC-R, CO₂ Refrigeration, and Hydronic products. ndlindustries.com | <u>1-866-635-6888</u> | sales@ndlinc.com



NCH-S-TW Dimensions

DART #		R DIA. DA		.ENGTH B	STOPPER TO ST	OPPER LENGTH	OVERALL [CONNECTION	WT (LB)		
PART #	мм	IN	ММ	IN	ММ	IN	ММ	IN	TYPE (IN)		WT (G)	
NCH-032S-TW	<i>a</i> 42	0 1 <i>C</i> "	67	2.6.4%	07//	2.02%	117	A C 11	1/4" ODF	0.452	205.0	
NCH-033S-TW	Ø 42	Ø 1.6"	67	2.64"	97″	3.82″	117	4.61"	3/8" ODF	0.461	209.0	



NCH-S-TW Dimensions

NCH-032S-TW	1/4" Liquid Line Filter Drier with Tracer Wafer
NCH-033S-TW	3/8" Liquid Line Filter Drier with Tracer Wafer

The information contained herein is not intended to replace the full product installation and safety information available or the experience of a trained product installer. You are required to thoroughly read all installation instructions and product safety information before beginning the installation of a product.

All installations must completely comply with all NDL Industries warnings and instructions, national state and local codes and all applicable ANSI standards.

NDL Industries product specifications in U.S. customary units and metric are approximate and are provided for reference only. For precise measurements, please contact Customer

Service. NDL Industries reserves the right to change or modify product design, construction, specifications, or materials without prior notice and without incurring any obligation to make such changes and modifications on NDL products previously or subsequently sold.



Explore our full line of high-quality HVAC-R and plumbing products.


ndlinc.com | 1-866-635-6888 | sales@ndlinc.com



Press Compatible Solid Core Liquid Line Filter Driers with TW

NCH-Z-TW Dimensions

OUTER DIA. ØA PART #			BODY LENGTH STOPPER TO S		COPPER LENGTH OVERALL LENGTH D		CONNECTION	WT (LB)											
PARI#	MM IN	IN	ММ	IN	ММ	IN	мм	IN	TYPE (IN)	VVI (LB)	WT (G)								
NCH-083-Z-TW	Ø 63.5	Ø 63.5		99	3.89″	F1 1	0.00%	202	7.95″		1.345	610.1							
NCH-163-Z-TW			Ø 63.5	Ø 63.5	.5 Ø 2.5″	Ø 2.5″	Ø 2.5″	Ø 2.5″	Ø 2.5″	Ø 2.5″	Ø 2.5″	122	4.8″	51.1	2.02"	225	8.85″	3/8" ODM	1.627
NCH-164-Z-TW			122	4.8	52.5	2.06″	227	8.93"	1/2" ODM	1.609	729.8								



NCH-Z-TW Dimensions

NCH-083-Z-TW	3/8" Press Compatible Liquid Line Filter Drier with Tracer Wafer
NCH-163-Z-TW	3/8" Press Compatible Liquid Line Filter Drier with Tracer Wafer
NCH-164-Z-TW	1/2" Press Compatible Liquid Line Filter Drier with Tracer Wafer

The information contained herein is not intended to replace the full product installation and safety information available or the experience of a trained product installer. You are required to thoroughly read all installation instructions and product safety information before beginning the installation of a product.

All installations must completely comply with all NDL Industries warnings and instructions, national state and local codes and all applicable ANSI standards.

NDL Industries product specifications in U.S. customary units and metric are approximate and are provided for reference only. For precise measurements, please contact Customer

Service. NDL Industries reserves the right to change or modify product design, construction, specifications, or materials without prior notice and without incurring any obligation to make such changes and modifications on NDL products previously or subsequently sold.



Explore our full line of high-quality HVAC-R, CO₂ Refrigeration, and Hydronic products. ndlindustries.com | <u>1-866-635-6888</u> | sales@ndlinc.com

