



NDL Industries

P/AC Copper Fittings Product Guide

High-Quality HVAC-R Components for Commercial,
Industrial, and Residential Applications





P/AC Copper Fittings

Table of Contents

Product Information	1, 2
Female Adapters	3
Female Street Adapters	3
Male Adapters	3
Male Street Adapters.....	4
Reducing Bushings	4
Caps	4, 5
Reducing Couplings	5
Roll Stop Couplings	5
Stake Stop Couplings	5, 6
45° Elbows.....	6
45° Street Elbows.....	6
90° Long Radius Elbows	7
90° Long Radius Street Elbows.....	7
90° Short Radius Elbows.....	8
90° Short Radius Street Elbows	8
P-Traps	9
Tees	9
Reducing Tees.....	9, 10
Unions	11





P/AC Copper Fittings

Innovative HVAC-R Products with High-Quality Performance

- NDL ensures copper quality content and strict adherence to meet or exceed ASME B16 .22 standards for wall thickness.
- Each fitting is marked with OD size for easy field identification.
- Fittings are poly-bagged within the box, keeping them clean and contaminant-free prior to installation.
- The fittings have tight tolerances on the cup side for a stronger joint with the tube and easier brazing.
- Our copper fittings have zero reported failures since 1999 .

Certifications and Approvals

- ANSI/ASME B16.22, B16.29, B16.18, B16.15, B16.26, B16.24, and B16.23
- CRN-Approved

Symbols

- C** Copper (cup) manufactured to receive copper tube diameter
- FTG** Fittings end made to copper tube diameter
- F** Female, internal ANSI Standard taper pipe thr-d (NPTI)
- M** Male, external ANSI Standard taper pipe thr-d (NPTE)





P/AC Copper Fittings

Design Pressure Table

SIZE (IN)	PSI (200°F)	PSI (250°F)	BAR (93°C)	BAR (121°C)
1/4"	740	725	51.3	50.2
3/8"	740	725	51.3	50.2
1/2"	635	620	43.8	42.9
5/8"	585	575	40.6	39.8
3/4"	515	505	35.5	34.8
7/8"	475	465	32.7	32.1
1-1/8"	400	395	27.8	27.2
1-3/8"	355	350	24.7	24.2
1-5/8"	330	325	23	22.5
2-1/8"	295	290	20.4	20
2-5/8"	270	265	18.9	18.5
3-1/8"	255	250	17.8	17.4
3-5/8"	245	240	17	16.7
4-1/8"	235	230	16.5	16.1
5-1/8"	215	215	15.1	14.8
6-1/8"	200	200	14.1	13.8

Pressure Ratings Based on ASME B16.22





Female Adapters (C x F)

PART #	OD - DESCRIPTION	BOX QTY	WT (LB)	WT (G)
N-1231	5/8" x 1/2" Female Adapter	25	0.064	29
N-1232	5/8" x 3/8" Female Adapter	50	0.079	36
N-1224	3/8" x 1/2" Female Adapter	EA	0.09	41
N-1246	7/8" x 3/4" Female Adapter	25	0.095	43
N-1230	5/8" x 3/4" Female Adapter	25	0.11	50
N-1263	1-1/8" x 1" Female Adapter	20	0.165	75
N-1271	1-3/8" x 1-1/4" Female Adapter	10	0.276	125
N-1279	1-5/8" x 1-1/2" Female Adapter	10	0.392	178
N-1287	2-1/8" x 2" Female Adapter	2	0.613	278



Female Street Adapters (FTG x F)

PART #	OD - DESCRIPTION	BOX QTY	WT (LB)	WT (G)
N-1531	5/8" x 1/2" Female Street Adapter	25	0.071	32
N-1532	5/8" x 3/8" Female Street Adapter	EA	0.079	36
N-1563	1-1/8" x 1" Female Street Adapter	10	0.229	104
N-1587	2-1/8" x 2" Female Street Adapter	EA	0.71	322



Male Adapters (C x M)

PART #	OD - DESCRIPTION	BOX QTY	WT (LB)	WT (G)
N-1132	5/8" x 3/8" Male Adapter	50	0.079	36
N-1146	7/8" x 3/4" Male Adapter	25	0.093	42
N-1130	5/8" x 3/4" Male Adapter	25	0.13	59
N-1163	1-1/8" x 1" Male Adapter	20	0.152	69
N-1164	1-1/8" x 3/4" Male Adapter	25	0.19	86
N-1171	1-3/8" x 1-1/4" Male Adapter	10	0.254	115
N-1172	1-3/8" x 1" Male Adapter	10	0.28	127
N-1179	1-5/8" x 1-1/2" Male Adapter	10	0.342	155
N-1187	2-1/8" x 2" Male Adapter	2	0.518	235





Male Street Adapters (FTG x M)

PART #	OD - DESCRIPTION	BOX QTY	WT (LB)	WT (G)
N-1446	7/8" x 3/4" Male Street Adapter	20	0.161	73.0
N-1463	1-1/8" x 1" Male Street Adapter	10	0.240	109.0
N-1487	2-1/8" x 2" Male Street Adapter	EA	0.800	363.0



Reducing Bushings (FTG x C)

PART #	OD - DESCRIPTION	BOX QTY	WT (LB)	WT (G)
N-1306	3/8" x 1/4" Reducing Bushing	100	0.008	3.5
N-1314	1/2" x 1/4" Reducing Bushing	100	0.011	5
N-1312	1/2" x 3/8" Reducing Bushing	100	0.011	5
N-1317	5/8" x 3/8" Reducing Bushing	100	0.02	9
N-1315	5/8" x 1/2" Reducing Bushing	100	0.02	9
N-1322	3/4" x 3/8" Reducing Bushing	50	0.031	14
N-1320	3/4" x 5/8" Reducing Bushing	50	0.031	14
N-1326	7/8" x 5/8" Reducing Bushing	50	0.044	20
N-1325	7/8" x 3/4" Reducing Bushing	50	0.044	20
N-1340	1-1/8" x 1/2" Reducing Bushing	25	0.077	35
N-1339	1-1/8" x 5/8" Reducing Bushing	25	0.077	35
N-1338	1-1/8" x 3/4" Reducing Bushing	25	0.088	40
N-1337	1-1/8" x 7/8" Reducing Bushing	25	0.093	42
N-1343	1-3/8" x 1-1/8" Reducing Bushing	25	0.137	62
N-1359	2-1/8" x 1-3/8" Reducing Bushing	EA	0.315	143



Caps

PART #	OD - DESCRIPTION	BOX QTY	WT (LB)	WT (G)
N-7004	3/8" Cap	100	0.005	2.3
N-7006	1/2" Cap	100	0.009	4.0
N-7007	5/8" Cap	100	0.015	7.0
N-7008	3/4" Cap	50	0.027	12.0
N-7009	7/8" Cap	50	0.033	15.0
N-7011	1-1/8" Cap	25	0.066	30.0





Caps - Continued

PART #	OD - DESCRIPTION	BOX QTY	WT (LB)	WT (G)
N-7012	1-3/8" Cap	EA	0.104	47.0
N-7014	2-1/8" Cap	5	0.265	120.0



Reducing Couplings (C x C)

PART #	OD - DESCRIPTION	BOX QTY	WT (LB)	WT (G)
N-1011	3/8" x 1/4" Reducing Coupling	100	0.008	3.8
N-1010	3/8" x 5/16" Reducing Coupling	100	0.008	3.8
N-1019	1/2" x 3/8" Reducing Coupling	100	0.012	5.6
N-1023	5/8" x 1/2" Reducing Coupling	100	0.022	10
N-1025	5/8" x 3/8" Reducing Coupling	100	0.023	10.5
N-1029	3/4" x 5/8" Reducing Coupling	50	0.035	16
N-1030	3/4" x 1/2" Reducing Coupling	50	0.035	16
N-1035	7/8" x 3/4" Reducing Coupling	50	0.049	22
N-1036	7/8" x 5/8" Reducing Coupling	50	0.049	22
N-1050	1-1/8" x 3/4" Reducing Coupling	25	0.084	38
N-1049	1-1/8" x 7/8" Reducing Coupling	EA	0.093	42.2
N-1056	1-3/8" x 1-1/8" Reducing Coupling	EA	0.128	58.1
N-1060	1-1/4" x 1/2" Reducing Coupling	EA	0.137	62



Roll Stop Couplings (C x C)

PART #	OD - DESCRIPTION	BOX QTY	WT (LB)	WT (G)
N-1063	1-5/8" Roll Stop Coupling	10	0.214	97



Stake Stop Couplings (C x C)

PART #	OD - DESCRIPTION	BOX QTY	WT (LB)	WT (G)
N-10143	3/8" Coupling with stake stop	100	0.008	3.4
N-10144	1/2" Coupling with stake stop	100	0.013	6.0
N-10157	3/4" Coupling with stake stop	EA	0.036	16.5
N-10146	7/8" Coupling with stake stop	EA	0.051	23.0





Stake Stop Couplings (C x C) - Continued

PART #	OD - DESCRIPTION	BOX QTY	WT (LB)	WT (G)
N-10147	1-1/8" Coupling with stake stop	EA	0.101	46.0
N-10149	1-5/8" Coupling with stake stop	10	0.209	95.0
N-10150	2-1/8" Coupling with stake stop	EA	0.379	172.0



45° Elbows (C x C)

PART #	OD - DESCRIPTION	BOX QTY	WT (LB)	WT (G)
N-3005	1/4" 45° Elbow	100	0.008	3.5
N-3012	3/8" 45° Elbow	100	0.012	5.2
N-3021	1/2" 45° Elbow	100	0.018	8.0
N-3026	5/8" 45° Elbow	50	0.031	14.0
N-3030	3/4" 45° Elbow	50	0.049	22.0
N-3034	7/8" 45° Elbow	25	0.071	32.0
N-3044	1-1/8" 45° Elbow	20	0.124	56.0
N-3050	1-3/8" 45° Elbow	10	0.201	91.0
N-3055	1-5/8" 45° Elbow	5	0.304	138.0
N-3059	2" 45° Elbow	EA	0.547	248.0



45° Street Elbows (FTG x C)

PART #	OD - DESCRIPTION	BOX QTY	WT (LB)	WT (G)
N-3312	3/8" 45° Street Elbow	100	0.012	5.5
N-3321	1/2" 45° Street Elbow	100	0.019	8.5
N-3326	5/8" 45° Street Elbow	50	0.031	14.0
N-3330	3/4" 45° Street Elbow	50	0.052	23.5
N-3334	7/8" 45° Street Elbow	25	0.075	34.0
N-3344	1-1/8" 45° Street Elbow	20	0.128	58.0
N-3350	1-3/8" 45° Street Elbow	10	0.198	90.0
N-3355	1-5/8" 45° Street Elbow	5	0.298	135.0
N-3359	2-1/8" 45° Street Elbow	EA	0.551	250.0





90° Long Radius Elbows (C x C)

PART #	OD - DESCRIPTION	BOX QTY	WT (LB)	WT (G)
N-2715	1/4" 90° LR Elbow	100	0.011	5.0
N-2710	5/16" 90° LR Elbow	100	0.017	7.8
N-2716	3/8" 90° LR Elbow	100	0.020	9.0
N-2717	1/2" 90° LR Elbow	100	0.030	13.5
N-2722	5/8" 90° LR Elbow	50	0.050	22.5
N-2728	3/4" 90° LR Elbow	50	0.077	35.0
N-2734	7/8" 90° LR Elbow	25	0.115	52.0
N-2747	1-1/8" 90° LR Elbow	10	0.216	98.0
N-2055	1-3/8" 90° LR Elbow	10	0.364	165.0
N-2063	1-5/8" 90° LR Elbow	5	0.540	245.0
N-2072	2-1/8" 90° LR Elbow	EA	0.992	450.0
N-2082	2-5/8" 90° LR Elbow	EA	1.499	680.0
N-2092	3-1/8" 90° LR Elbow	EA	2.535	1150.0



90° Long Radius Street Elbows (FTG x C)

PART #	OD - DESCRIPTION	BOX QTY	WT (LB)	WT (G)
N-2803	1/4" 90° LR Street Elbow	100	0.011	5.0
N-2809	3/8" 90° LR Street Elbow	100	0.020	9.0
N-2817	1/2" 90° LR Street Elbow	100	0.030	13.5
N-2822	5/8" 90° LR Street Elbow	50	0.051	23.0
N-2828	3/4" 90° LR Street Elbow	50	0.079	36.0
N-2834	7/8" 90° LR Street Elbow	25	0.117	53.0
N-2847	1-1/8" 90° LR Street Elbow	10	0.221	100.0
N-2350	1-3/8" 90° LR Street Elbow	10	0.335	152.0
N-2355	1-5/8" 90° LR Street Elbow	5	0.551	250.0
N-2359	2-1/8" 90° LR Street Elbow	EA	1.003	455.0
N-2363	2-5/8" 90° LR Street Elbow	EA	1.499	680.0
N-2368	3-1/8" 90° LR Street Elbow	EA	2.535	1150.0





90° Short Radius Elbows (C x C)

PART #	OD - DESCRIPTION	BOX QTY	WT (LB)	WT (G)
N-2003	1/4" 90° SR Elbow	100	0.008	3.5
N-2009	3/8" 90° SR Elbow	100	0.013	6.0
N-1617	1/2" 90° SR Elbow	100	0.020	9.0
N-1622	5/8" 90° SR Elbow	50	0.034	15.2
N-1628	3/4" 90° SR Elbow	50	0.057	26.0
N-1634	7/8" 90° SR Elbow	25	0.075	34.0
N-1647	1-1/8" 90° SR Elbow	20	0.154	70.0
N-2084	1-3/8" 90° SR Elbow	10	0.225	102.0
N-2085	1-5/8" 90° SR Elbow	5	0.331	150.0
N-2086	2-1/8" 90° SR Elbow	EA	0.639	290.0
N-2087	2-5/8" 90° SR Elbow	EA	1.102	500.0
N-2088	3-1/8" 90° SR Elbow	EA	1.720	780.0
N-2090	4-1/8" 90° SR Elbow	EA	3.395	1540.0



90° Short Radius Street Elbows (FTG x C)

PART #	OD - DESCRIPTION	BOX QTY	WT (LB)	WT (G)
N-2305	1/4" 90° SR Street Elbow	100	0.008	3.5
N-2312	3/8" 90° SR Street Elbow	100	0.013	6.0
N-1651	1/2" 90° SR Street Elbow	100	0.021	9.5
N-1652	5/8" 90° SR Street Elbow	50	0.035	16.0
N-1653	3/4" 90° SR Street Elbow	50	0.060	27.0
N-1654	7/8" 90° SR Street Elbow	25	0.079	36.0
N-1655	1-1/8" 90° SR Street Elbow	20	0.163	74.0
N-2384	1-3/8" 90° SR Street Elbow	10	0.243	110.0
N-2385	1-5/8" 90° SR Street Elbow	5	0.364	165.0
N-2386	2-1/8" 90° SR Street Elbow	EA	0.672	305.0
N-2387	2-5/8" 90° SR Street Elbow	EA	1.124	510.0
N-2390	4-1/8" 90° SR Street Elbow	EA	3.417	1550.0





P-Traps

PART #	OD - DESCRIPTION	BOX QTY	WT (LB)	WT (G)
N-60999	5/8" P-Traps	EA	0.463	210.0
N-61008	3/4" P-Traps	2	0.562	255.0
N-61000	7/8" P-Traps	2	0.739	335.0
N-61001	1-1/8" P-Traps	2	1.124	510.0



Tees (C x C x C)

PART #	OD - DESCRIPTION	BOX QTY	WT (LB)	WT (G)
N-40306	1/4" Tee	100	0.013	6.1
N-4000	3/8" Tee	100	0.020	9.0
N-4001	1/2" Tee	100	0.035	15.8
N-4047	1/2 x 1/2 x 3/4 Tee	25	0.106	48.0
N-4006	5/8" Tee	50	0.058	26.5
N-4017	3/4" Tee	50	0.106	48.0
N-4031	7/8" Tee	25	0.143	65.0
N-4048	1-1/8" Tee	10	0.267	121.0
N-4068	1-3/8" Tee	10	0.375	170.0
N-4084	1-5/8" Tee	5	0.595	270.0
N-40102	2-1/8" Tee	EA	1.047	475.0



Reducing Tees (C x C x C)

PART #	OD - DESCRIPTION	BOX QTY	WT (LB)	WT (G)
N-4002	1/2" x 1/2" x 3/8" Reducing Tee	100	0.042	19.0
N-4014	5/8" x 5/8" x 1/4" Reducing Tee	50	0.049	22.0
N-4008	5/8" x 5/8" x 3/8" Reducing Tee	50	0.049	22.0
N-4007	5/8" x 5/8" x 1/2" Reducing Tee	50	0.049	22.0
N-4019	3/4" x 3/4" x 1/2" Reducing Tee	50	0.088	40.0
N-4035	7/8" x 7/8" x 3/8" Reducing Tee	25	0.115	52.0
N-4034	7/8" x 7/8" x 1/2" Reducing Tee	25	0.115	52.0
N-4033	7/8" x 7/8" x 5/8" Reducing Tee	25	0.132	60.0
N-4049	1-1/8" x 1-1/8" x 7/8" Reducing Tee	10	0.265	120.0






Reducing Tees (C x C x C) - Continued

PART #	OD - DESCRIPTION	BOX QTY	WT (LB)	WT (G)
N-4050	1-1/8" x 1-1/8" x 3/4" Reducing Tee	10	0.254	115.0
N-4051	1-1/8" x 1-1/8" x 5/8" Reducing Tee	10	0.232	105.0
N-4070	1-3/8" x 1-3/8" x 7/8" Reducing Tee	10	0.342	155.0
N-4069	1-3/8" x 1-3/8" x 1-1/8" Reducing Tee	10	0.342	155.0
N-4087	1-5/8" x 1-5/8" x 7/8" Reducing Tee	5	0.496	225.0
N-4086	1-5/8" x 1-5/8" x 1-1/8" Reducing Tee	5	0.562	255.0
N-4085	1-5/8" x 1-5/8" x 1-3/8" Reducing Tee	5	0.584	265.0



Reducing Tees (C x C x C)

PART #	OD - DESCRIPTION	BOX QTY	WT (LB)	WT (G)
N-4004	1/2" x 3/8" x 3/8" Reducing Tee	100	0.042	19.0
N-4010	5/8" x 1/2" x 1/2" Reducing Tee	50	0.062	28.0
N-4011	5/8" x 1/2" x 3/8" Reducing Tee	50	0.062	28.0
N-4043	7/8" x 5/8" x 5/8" Reducing Tee	25	0.137	62.0
N-4037	7/8" x 3/4" x 3/4" Reducing Tee	25	0.154	70.0
N-4056	1-1/8" x 7/8" x 7/8" Reducing Tee	10	0.265	120.0



Reducing Tees (C x C x C)

PART #	OD - DESCRIPTION	BOX QTY	WT (LB)	WT (G)
N-4005	3/8" x 3/8" x 1/2" Reducing Tee	100	0.044	20.0
N-4015	1/2" x 1/2" x 5/8" Reducing Tee	50	0.066	30.0
N-4047	5/8" x 5/8" x 7/8" Reducing Tee	25	0.106	48.0
N-4065	7/8" x 7/8" x 1-1/8" Reducing Tee	10	0.221	100.0



Reducing Tees (C x C x C)

PART #	OD - DESCRIPTION	BOX QTY	WT (LB)	WT (G)
N-4041	7/8" x 5/8" x 7/8" Reducing Tee	25	0.159	72.0
N-4055	1-1/8" x 7/8" x 1-1/8" Reducing Tee	10	0.298	135.0





Unions (C x C)


PART #	OD - DESCRIPTION	BOX QTY	WT (LB)	WT (G)
N-8003	5/8" Union	25	0.190	86.0
N-8004	7/8" Union	25	0.375	170.0
N-8005	1-1/8" Union	10	0.507	230.0





QUALITY STAMP

Only after our products pass strict and rigorous quality tests will the NDL name be stamped on them. The NDL Quality Stamp is our seal of approval that our products can be trusted in the field.



We Focus on Quality and Service So You Can Install with Confidence.

Since 1998, our mission has been to stay ahead of the curve as an industry leader in the HVAC, Refrigeration, and Hydronic markets. We have achieved this over the years by heavily emphasizing quality, innovation, and maintaining a global team of experienced professionals to deliver top-notch service. We continue to hold ourselves to the highest standards, never sacrificing the quality of our products or the commitment to our customers that has made us the company we are today.

What you can expect from us:

- Fast order turnaround
- Real-time order communications
- Field-experienced sales and technical support
- Parts packaged in contractor-friendly sized bags
- High-quality control standards for superior fit and finish



Global Team with Fast Order Turnaround

With distribution centers strategically located worldwide, we ensure fast order fulfillment while maintaining the exceptional customer service that has earned us our trusted reputation.

Locations:

- Southaven, Mississippi (United States)
- Vancouver, British Columbia (Canada)
- Milton Keynes, Buckinghamshire (Europe)



Explore our full line of high-quality HVAC-R, CO₂ Refrigeration, and Hydronic products.

ndlindustries.com | 1-866-635-6888 | sales@ndlinc.com

@ndlindustries

